

# SPECIAL SCANTLINGS FOR LIFTING-/SLIDING-DOOR FRAMES

**Technical Data – FSC®- or PEFC™-certificate available!**


**SPECIE:** Pine, Spruce

**CONSTRUCTION:**

**top layer** solid, thickness min. 10 mm, v. g./semi v. g.  
**further layers** finger jointed  
**crossband** solid, thickness min. 24 mm

**LAMINATION:** PU-glue

**LENGTH:** 2,50 m/3,00 m/4,00 m




**SPECIE:** siberian Larch, americ. White Oak

**CONSTRUCTION:**

**top layer** solid, thickness min. 10 mm, siberian Larch in v. g./semi v. g.  
**further layers** finger jointed  
**crossband** solid, thickness min. 21 mm (Oak) thickness min. 24 mm (Larch)

**LAMINATION:** sib. Larch D4-glue  
 americ. White Oak D4-glue  
 E. Globulus D4-glue

**LENGTH:** 2,50 m/3,00 m/4,00 m



**SPECIE:** Meranti

**CONSTRUCTION:**



**STRUCTURE (ACCORDING TO DRAWINGS):**

**top layer** solid, thickness min. 10 mm v. g./semi v. g.  
**further layers** finger jointed  
**crossband** solid, thickness 24 mm

**LAMINATION:** waterproof glued

**LENGTH:**

**192 mm** 2,20 / 2,50 / 3,00 / 3,50 / 4,50 / 5,00 / 5,90 m  
**215 mm** 2,20 / 2,50 / 3,00 / 3,50 / 4,50 / 5,00 / 5,90 m



*All special dimensions or special constructions as per your inquiry!*

# SPECIAL SCANTLINGS FOR LIFTING-/SLIDING-DOOR FRAMES

## Technical Data:


**SPECIE:** Pine, Spruce

### CONSTRUCTION:

**top layer** max. 4 finger joints visible  
thickness min. 10 mm, v. g./semi v. g.  
**further layers** finger jointed or edge glued  
**crossband** produced of finger joint-length 1,80 m+  
thickness min. 24 mm

**LAMINATION:** PU-glue

**LENGTH:** 6,20 m




**SPECIE:** siberian Larch, americ. White Oak

### CONSTRUCTION:

**top layer** max. 4 finger joints visible thickness min. 10 mm,  
siberian Larch in v. g./semi v. g.  
**further layers** finger jointed or edge glued  
**crossband** max. 4 finger joints visible  
thickness min. 21 mm (Oak)  
thickness min. 24 mm (Larch)

**LAMINATION:** sib. Larch D4-glue  
americ. White Oak D4-glue  
E. Globulus D4-glue

**LENGTH:** 6,20 m



**All special dimensions or special constructions as per your inquiry!**